

EuroGOOS overview Erik Buch EuroGOOS chair

EuroGOOS AISBL eurogoos@eurogoos.eu - http://www.eurogoos.eu





EuroGOOS AISBL is an International Non Profit Association of 40 national agencies, institutes, research organisations and private companies in 19 European countries promoting and implementing Operational Oceanography.





EuroGOOS Objectives



 Operational oceanography - strategies and priorities for **Europe Promotion** Cooperation **OCo-production Sustained ocean** observations



Operational Oceanography





EuroGOOS Office



- Glenn Nolan, Secretary General
- Patrick Gorringe, Senior science officer
- Dina Eparkhina, Coordination and Communication Officer
- Vincente Fernandes, Project
 officer



European Global Ocean Observing System

EuroGOOS Strategy 2014-2020





- ✓ Strategies and actions are decided by an General Assembly and the Executive Directors
- ✓ Actions are carried out by the EuroGOOS Office, the Board, the Chair and the members/partners.
- ✓ Development of O.O. systems is carried out by the Regional Systems
- ✓ Working groups produce strategies, priorities and standards for O.O.
- ✓ Ocean Observing Task Teams organizes and develops the individual observation communities and foster cooperation

Structure





ROOS

(Regional Operational Oceanography Systems)



- The ROOSs are the operational arm(s) of EuroGOOS
- About 50 additional partners in Regional Operational Oceanographic Systems (ROOS)
- The ROOSs cooperation focus on <u>improved</u> <u>national and regional services and products</u>
- ROOSs <u>coordinate the observations and the data</u> <u>transfer</u> for internal use and to other users i.e. acting as the <u>regional data broker</u>





Working Groups



- Science
- Technology
- Data Exchange
- Product
- Coastal





Ocean Observation Task Teams



- HF-Radar,
- FerryBox,
- Tide Gauges,
- Gliders
- EURO-Argo
- Fixed PlatformsMarine mammels



We cannot manage what we do not measure





EOOS

European Ocean Observation System





2008: Joint EMB-EuroGOOS paper on EMODNET

2009: Framework for Ocean Observing (basis for AtlantOS)

2010: Ostend Declaration: "Support the development of a truly integrated and sustainably funded "European Ocean Observing System" to establish Europe's global leading role in marine science and technology...".

2013 (January) : Marine Research Infrastructures report

2013 (June): Navigating the Future IV (Chapter 11 describes EOOS)

2014: Rome Declaration 'Making EOOS a reality', Jan Mees (Chair of EMB) and Erik Buch (Chair of EuroGOOS), made a call for action.





JERICO-NEXT in the European Research Area

What do we have today in Europe ?

- National systems (partially coordinated by EuroGOOS)
 - Variety of technologies and funding schemes; main synergies at regional level
- Research infrastructure investments (FP, ESFRI)
 - EuroARGO, EMSO,
 - AtlantOS, FixO3, JERICO, SEADATANET,
 - o ICOS Carbocean
- EMODNET & Copernicus MS: integrators (and major users)

 Not yet funding the in-situ component



What is missing ? (gaps)

Spatial gaps
 horizontal – SE European seas;
 vertical – deep sea is under-sampled;

• Temporal gaps •few complete time series;

Parameter gaps
biochemical; sensors are now available;

• Long term commitments • more than 70% based on research funding;

• Integrated monitoring strategy at European level •Reduce overlaps; maximize synergies and benefits









Concepts: Framework

- Provide strategic oversight
- Fit for purpose
 - Societal needs not national or personal priorities
- Full system instruments to data services incl. free open and quality assured data
- Provide maximum benefit by optimising and integrating avoid duplication
- Measurable impacts
- Clearer role of science
- Economy
 - Saving time and money (emphasise cost effectiveness)
 - New investments
 - Re-design of existing network
- Governance
- Emphasise European specificities







Essential Ocean Variables

Driven by requirements, negotiated with feasibility



- We cannot measure everything, nor do we need to
- Including new elements of the system is driven by requirements, negotiated with feasibility
- Allows for innovation in the observing system over time



EOOS Brainstorming Workshop



- EMB and EuroGOOS cooperation
- 20 observing experts

• Focus on:

- o Drivers
- Definition
- Purpose
- Roadmap for the coming 2-3 years
- Report soon





Def 1: "EOOS is a sustained and integrated observing system for Europe's seas in order to understand the current state and key processes that underpin the sustainable management of marine resources"

Def 2: "EOOS is a sustained and integrated observing system that characterises the state of the European seas and oceans providing effective management into the future"

Def 3: "EOOS creates knowledge to drive sustainable development and blue growth through understanding and predicting the state of the European seas and oceans"

Strong European capability and leadership in ocean observing









• EMODnet II

- AtlantOS
- Columbus
- Jerico Next
- ENVRI+
- Copernicus INSTAC
- EMODnet Checkpoints • Baltic
 - Atlantic

Project participation





Implementing the Copernicus Marine Service







Development

EMODNET October 2015







EMODNET European, US, Australia RT/NRT data



GOOS data portal?

- EU DG Mare supportive
- GRA members



Part of the Global effort

EuroGOOS is one of the thirteen GOOS Regional Alliances (GRAs) that develop the system in different parts of the World Ocean.



GOOS establishes a permanent global system for observations, modelling and analysis of marine and ocean variables to support operational ocean services worldwide

GOOS is a platform for:

- International cooperation for sustained observations of the oceans
- Generation of oceanographic products and services
- Interaction between research, operational, and user communities





- Idea launched at Arctic ROOS annual meeting 2014
- IOC contacted February 2015
 - Support from GOOS Office, Secretary General Vladimir Ryabinin, and new IOC Chair Peter Haugan
- IOC Science day
- Contact to representatives of USA, Canada, Russia
- GRA meeting September 2015



GOOS Regional Allience Forum

Rethinking the GOOS Regional Alliances

- EuroGOOS chair suggested some changes to GOOS structure, but resistance from GOOS SC Chair
- Arctic GOOS

Mismatch between GOOS Projects and GRA Projects

GOOS projects have higher "status" than GRA at present

North Africa and wider capacity building

- Joint MONGOOS EuroGOOS activity proposed
- Wider initiatives on capacity building suggested (training + fellowship programme)
 Global modelling inventory and data portal
- EuroGOOS presented the work undertaken by Patrick Gorringe (EuroGOOS) and Laura Greisbauer (NOAA) as well as a pilot global data portal for real-time oceanographic data.

Chair and vice-chair

• Tim Moltmann of IMOS elected GRA chair, Erik Buch elected GRA vice chair





The information on this page is based on a modelling inventory made by the GOOS Regional Alliances (GRAs). The information has been provided by modelling experts in the respective GRAs.

| b Burccoos b Burccoos a b Boccoos a c Boccoos a b Boccoos a c Bocco | Black Sea GRA | | | Summary |
|--|---------------|--|--|--|
| Biology and pression and transport 3 Biology and Biology and | E | | A AND TON | Number of models: 77 |
| MOS MOSCOOS MORCOOS MORCOOS MOSCOOS M | ► EuroGOOS | | | Parameters |
| b CCCOS b MONGCOS b PLGOOS c USIOOS <lic li="" usioos<=""> <lic li="" usioos<=""> c USIOOS<td>+ IMOS</td><td></td><td></td><td>Significant wave height Wave direction Wave</td></lic></lic> | + IMOS | | | Significant wave height Wave direction Wave |
| MONGCOS MONGCOS PAGOOS USIDOS | 105005 | | | period: 1 |
| MONICCOOS PLGOOS USIDOS IN USIDOS | | | | water temperature: 1 sea surface temperature: 1 |
| PIGOOS USIOOS Is used to the point of the p | MONGOOS | | Cont & CER | A • salinity: 25 |
| • USIOOS • addied-concentrations:1 • addied-concentrations:1 • using one-loc concentrations:1 • addied-concentrations:1 • addied-conc | PI GOOS | | · LE E ETT | sea surface height: 1 |
| US005 Saltor day 10 opcorpany is deviation (and); 1 wave high; 1 wave high; 1 opcord and direction; 1 direction and height of primary and secondary swell: 1 1 0 temperature: 2 0 surface height of primary and secondary swell: 1 1 0 temperature: 1 1 0 temperature: 1 | F Flatos | | | and sea-ice concentrations.: 1 |
| And because it is a secondary swell: The more transport is a secondary swell:< | ▶ US IOOS | | A STA STA | Seafloor depth Topographic elevation (land): 1 |
| period and direction: 1 direction and height of primary and secondary swell: 3D temperature: 1 3D temperature: 1 3D surface height and direction: 2 surface height and direction: 3 synthe height and direction: 3 speak wave direction: 7 nean wave period; 7 | | | | • while velocity and direction: 1 |
| drection and height of primary and secondary swell: 1) Temperature: 1 3) Temperature: 1 4) Te | | and the second sec | | period and direction: 1 |
| 1 3 D temperature: 1 2 O surface height: 1 3 D temperature: 1 2 O surface height: 1 3 D temperature: 1 2 O surface height: 1 3 D temperature: 1 3 D temperatur | | A CONTRACT | | direction and height of primary and secondary swell: |
| 3D temperature: 1 constant wave height and direction: 8 sendard wave direction: 8 sendard wave direction: 8 sendard wave height and direction: 7 nean wave period; 7 | | | the second secon | |
| conal and meridional currents: 1 2D surface height: 1 currents: 22 temperature 5 and or sallinity': 1 SST: 1 SS | | | | • 3D temperature: 1 |
| 20 surface height: 1 water level: 4 SSft: 1 MOM4P1: 1 water level: 4 Significant wave height: 8 swell wave height: 8 mean wave period (Tm-1: 1 0): 1 sea surface elvation and transport: 3 peak wave direction: 7 mean wave period: 7 | | | | zonal and meridional currents: 1 |
| water level: 1 water level: 22 temperature: 6 and/or salinity: 1 SST: 1 | | 100 | | • 2D surface height 1 |
| currents: 22 currents: 22 currents: 22 currents: 23 and/or salinity": 1 SST: 1 | | | | • water level: 1 |
| temperature: 6 and/or salinity? SST: 1 SSH: 1 MOMAP1: 1 water level: 4 Significant wave height and direction: 8 swell wave height: 8 mean wave period (Tm-1: 1 0): 1 sea surface elevation and transport: 3 peak wave direction: 7 mean wave period: 7 | | Track and | | • currents: 22 |
| Statistical and the second s | | | | temperature: o |
| SSh: 1 MOMAP1: 1 water level: 4 Significant wave height and direction: 8 well wave height: 8 mean wave period (Tm-1: 1 0): 1 sea surface elevation and transport: 3 peak wave direction: 7 mean wave period: 7 | | | Prove and a second s | SST-1 |
| MOMAP1: 1 water level: 4 Significant wave height and direction: 8 swell wave height: 8 mean wave period (Tm-1: 1 0): 1 sea surface elevation and transport: 3 peak wave direction: 7 mean wave period: 7 | | | | • SSH: 1 |
| water level: 4 Significant wave height : 8 swell wave height: 8 mean wave period (Tm-1: 1 0): 1 sea surface elevation and transport: 3 peak wave direction: 7 mean wave period: 7 | | 10 10 11 | | • MOM4P1: 1 |
| Significant wave height and direction: 8 swell wave height: 8 mean wave period (Tm-1: 1 0): 1 sea surface elevation and transport: 3 peak wave direction: 7 mean wave period: 7 | | | | water level: 4 |
| swell wave height: 8 mean wave period (Tim-1: 1 0): 1 sea surface elevation and transport: 3 peak wave direction: 7 mean wave period: 7 | | | | Significant wave height and direction: 8 |
| mean wave period (Tm-1: 1 0): 1 sea surface elevation and transport: 3 peak wave direction: 7 mean wave period: 7 | | | | swell wave height: 8 |
| O): 1 Sea surface elevation and transport: 3 peak wave direction: 7 mean wave period: 7 | | W (198 | | mean wave period (Tm-1: 1 |
| sea surface elevation and transport: 3 peak wave direction: 7 mean wave period: 7 | | | | • 0): 1 |
| peak wave direction: 7 mean wave period: 7 | | 7 | | sea surface elevation and transport: 3 |
| mean wave period: 7 | | The second se | | peak wave direction: 7 |
| | | | | mean wave period: 7 |





EuroGOOS has 40 members in 19 countries, but via the ROOS cooperation we have close links to around 50 other organisations.

- This has been the basis for establishing professional networks that together have formed project consortia for numerous projects over the past 20 years
- EuroGOOS is in process of expanding it membership in order to further strengthen the organisation and increase its influence on the European and global scene
 - All relevant organisations in Europe
 - Links to private sector

EuroGOOS have established:

- ROOS's that coordinate work and developments in the European regional seas
- WG that over the years have set the scene on science, technology development, data format, quality requirements, products, and recently coastal modelling
- Observational Task teams (new initiative) with purpose to organise the various ocean observation communities to further develop and generate the necessary funding





- EuroGOOS has established close contacts to relevant EU directorates: DG-MARE, G-GROW, DG-Research with regular meetings on strategy, project developments etc.
- Cooperate with several European organisations such as EEA, EMB, ICES, EMSA, Copernicus Marine Service
- Define priorities in operational oceanography in Europe and coordinate with the rest of the world
- Has taken a leading role in planning a European Ocean Observation System (EOOS) that shall serve operational services as well as research, environment, climate etc.
- EuroGOOS is a leading organisation with regard to organising exchange of in-situ data in Europe, and the integration with the rest of the world. A key element in the practical setup of the system is the EuroGOOS ROOS data portals – a system invented and developed by EuroGOOS members supported by Copernicus and EMODNET
- EuroGOOS are active in promotion of operational Oceanography
- EuroGOOS raises the professional profile of its members in Europe